

**T 12 N**

**R 3 W**



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.


The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township No. XII North, Range No. III West 2nd M. surveyed by John Milroy 1819

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Level 2 <sup>nd</sup> into Park. Sugar. Ash. Poplar. Spruce &c.	33.34	Broken. 2 <sup>nd</sup> into timber. Spruce	31.32	Broken 2 <sup>nd</sup> into. Timber Spruce
35.36	Same	37.38	Same	35.36	Level 2 <sup>nd</sup> into
34.35	Same	37.38	Same	36.37	Same
33.34	Same	38.39	Level 2 <sup>nd</sup> into. Park. Sugar. Ash. Poplar. Spruce	37.38	Same
32.33	Same	39.40	Part level, part broken	38.39	Broken 2 <sup>nd</sup> into
31.32	Same	40.41	Rolling 2 <sup>nd</sup> into. Timber Spruce	39.40	Level 2 <sup>nd</sup> into
30.31	Same	41.42	Part level, part rolling	40.41	Same
29.30	Same	42.43	Level 2 <sup>nd</sup> into. Timber Spruce	41.42	Broken 2 <sup>nd</sup> into. Timber as above
28.29	Same	43.44	Level 2 <sup>nd</sup> into. Timber Spruce	42.43	Rolling 2 <sup>nd</sup> into
27.28	Same	44.45	Level 2 <sup>nd</sup> into. Timber Spruce	43.44	Level 2 <sup>nd</sup> into
26.27	Same	45.46	Level 2 <sup>nd</sup> into. Timber Spruce	44.45	Same
25.26	Same	46.47	Level 2 <sup>nd</sup> into. Timber Spruce	45.46	Same
24.25	Same	47.48	Level 2 <sup>nd</sup> into. Timber Spruce	46.47	Same
23.24	Same	48.49	Level 2 <sup>nd</sup> into. Timber Spruce	47.48	Same
22.23	Same	49.50	Level 2 <sup>nd</sup> into. Timber Spruce	48.49	Same
21.22	Same	50.51	Level 2 <sup>nd</sup> into. Timber Spruce	49.50	Same
20.21	Same	51.52	Level 2 <sup>nd</sup> into. Timber Spruce	50.51	Same
19.20	Same	52.53	Level 2 <sup>nd</sup> into. Timber Spruce	51.52	Same
18.19	Same	53.54	Level 2 <sup>nd</sup> into. Timber Spruce	52.53	Same
17.18	Same	54.55	Level 2 <sup>nd</sup> into. Timber Spruce	53.54	Same
16.17	Same	55.56	Level 2 <sup>nd</sup> into. Timber Spruce	54.55	Same
15.16	Same	56.57	Level 2 <sup>nd</sup> into. Timber Spruce	55.56	Same
14.15	Same	57.58	Level 2 <sup>nd</sup> into. Timber Spruce	56.57	Same
13.14	Same	58.59	Level 2 <sup>nd</sup> into. Timber Spruce	57.58	Same
12.13	Same	59.60	Level 2 <sup>nd</sup> into. Timber Spruce	58.59	Same
11.12	Same	60.61	Level 2 <sup>nd</sup> into. Timber Spruce	59.60	Same
10.11	Same	61.62	Level 2 <sup>nd</sup> into. Timber Spruce	60.61	Same
9.10	Same	62.63	Level 2 <sup>nd</sup> into. Timber Spruce	61.62	Same
8.9	Same	63.64	Level 2 <sup>nd</sup> into. Timber Spruce	62.63	Same
7.8	Same	64.65	Level 2 <sup>nd</sup> into. Timber Spruce	63.64	Same
6.7	Same	65.66	Level 2 <sup>nd</sup> into. Timber Spruce	64.65	Same
5.6	Same	66.67	Level 2 <sup>nd</sup> into. Timber Spruce	65.66	Same
4.5	Same	67.68	Level 2 <sup>nd</sup> into. Timber Spruce	66.67	Same
3.4	Same	68.69	Level 2 <sup>nd</sup> into. Timber Spruce	67.68	Same
2.3	Same	69.70	Level 2 <sup>nd</sup> into. Timber Spruce	68.69	Same
1.2	Same	70.71	Level 2 <sup>nd</sup> into. Timber Spruce	69.70	Same



Township N. 12 North of Range N. 3 West 2nd Mer. N. 11  
Ch. 11

South Boundary All

West On a Kamam line On the South Boundary of sec. 36  
T. 12. N. R. 3 W.

600 To a Brook 12 links mid, Corner N.

28.00 To " " " " " N. N. E.

40.00 Set a temp. 7 ft. east

50.00 To a Brook 4 links mid, Corner N. E.

80.00 Set a temp. 7 ft. for the cor. of sec. 35 & 36.

Land East 3/4 2nd rate; land, Timber, Bush, Oak,  
Aph, West 1/4 first rate farming land. Timber  
Sugar, Walnut, &c.

West On a Kamam line On the South Boundary of sec. 35  
T. 12. N. R. 3 W.

40.00 Set a temp. 7 ft. east.

63.00 To a Brook 8 links mid, Corner N.

67.00 To " " " " " " "

80.00 Set a temp. 7 ft. for the cor. of sec. 34 & 35.

Land East 1/4 2nd rate land. West 1/4 good 2nd rate  
Land good 2nd rate; land for farming.

West On a Kamam line On the South Boundary of sec.  
34, T. 12. N. R. 3 W.

40.00 Set a temp. 7 ft. east.

45.00 To a small Brook. Corner N.

80.00 Set a temp. 7 ft. on the S. line for the cor. of sec. 33 & 34

Land good 2nd rate Timber, Bush, Sugar & Hickory

Sunday May 31st 1819

West On a Kamam line On the South Boundary of sec. 33  
T. 12. N. R. 3 W.

22.00 To a Brook 10 links mid, Corner N.

32.00 " " " " " " "



4000 Set a temporary post.  
 51.00 To a Rock 10 links mid, Corner N  
 80.00 Set a temporary post for the cor of sec 32 & 33  
 Lands 2<sup>nd</sup> rate; 1/2 acre for farming; Timber Sugar,  
 Birch, Poplar,

Met On a Random line On the South Boundary of sec. 32  
 T. 12. N. R. 37.

26.00 To a Rock 10 links mid, Corner N  
 40.00 Set a temporary post.  
 67.00 To a Rock 10 links mid, Corner N  
 80.00 Set a temporary post for the cor of sec 31 & 32  
 Lands 2<sup>nd</sup> rate & goods for farming; Part rather  
 Broken, Timber same.

Met On a Random line On the South Boundary of sec. 31  
 T. 12. N. R. 37.

2.00 To a Rock 10 links mid, Corner N.  
 40.00 Set a temporary post.  
 54.12 Introduced the N.E. B. of Harrison's Purchase  
 36 links South of the old Corner. on the Boundary  
 line Same as the same.

East On the True line On the South Boundary of sec. 31.  
 T. 12. N. R. 37.

Commenced at the Corner on the Boundary  
 14.16 Set the temporary post on the True line from which  
 Birch 12 in dia. bears S 8 E 30 links dist. 8 a  
 No. 14 " " " N 43 W. 28 " "  
 54.16 Set the temporary post for the cor of sec. 31 & 32 on the true  
 line from which  
 Birch 14 in dia. bears East 12 links dist. 8 a  
 No. 12 " " " S 68 W. 27 " "

Surveyed by  
 William Harris.  
 Deft. Sur.

East On the True line On the South Boundary of sec. 31. T. 12. N. R. 37.  
 6.00 Introduced the N.E. Boundary of Harrison's Purchase  
 and set a post on the B. for the cor of sec. 31 from  
 which Birch 3 in dia. bears S 75 W. 9 links dist.  
 under No. 3 " " S 35 E 12 " "

May 4<sup>th</sup> 1811.  
 Surveyed by  
 James Holmes D.S.

East On the True line On the South Boundary of sec. 32  
 T. 12. N. R. 37.

40.00 Set the temporary post at the cor dist. on the true line  
 from which Birch 14 in dia. bears S 77 E 15 links dist.  
 under No. 6 " " " N 71 W. 17 " "

80.00 Set a post temporary post on the true line for the cor of sec.  
 32 & 33 from which  
 Sugar. 10 in dia. bears S 3 W. 12 links dist. 8 a  
 West 27 " " " S 22 E 40 " "

East On the True line On the South Boundary of sec. 33.  
 T. 12. N. R. 37.

40.00 Set a temporary post on the true line from which  
 W. Oak 30 in dia. bears N 72 W 16 links dist. 8 a  
 Birch 24 " " " S 18 E 44 " "  
 80.00 Set the temporary post on the true line for the cor of sec.  
 33 & 34 from which  
 Birch 14 in dia. bears S 84 W. 17 links dist. 8 a  
 No. 15 " " " N 48 E 22 " "

East On the True line On the South Boundary of sec. 34.



## T. N. 12 N. R. N. 3 W 2nd Mer. Ind.

- 40.00 Set the temp. 77 support on the true line from which  
Bech. 12 in dia. beam. N 13 E. 28 links dist. 8 w  
Lp. 18 " " " S 65 E. 31 " " "
- 80.00 Set the temp. 77 post on the true line for the ca of sec. 34 & 35  
from which, Bech. 14 in dia. beam. S 76 W. 18 links dist.  
and a Sugar. 27 " " " N 68 E. 47 " " "

East On the true line On the South Boundary of sec. 35  
T. 12 N. R. 3 W.

- 40.00 Set the temp. 77 support on the true line from which  
Bech. 8 in dia. beam. N 83 E. 9 links dist. 8 w  
Sugar. 14 " " " S 67 W. 28 " " "
- 80.00 Set a post temp. 77 on the true line for the ca of sec. 35 & 36  
from which, W Walnut, 14 in dia. beam. S 84 W. 24 links dist.  
and a Sugar. 18 " " " S 86 E. 28 " " "

East On the true line On the South Boundary of sec. 36  
T. 12 N. R. 3 W.

- 40.00 Set the temp. 77 support on the true line from which  
Heiter 12 in dia. beam. S 61 W. 16 links dist. 8 w  
Sallyfras 5 " " " N 47 E. 12 " " "
- 80.00 Set a post for the ca of T. 11 & 12. N. R. 3 W  
from which, Bech. 14 in dia. beam. N 44 W. 5 links dist.  
and a Co. 14 " " " S 62 E. 20 " " "

## East Boundary

- North On the East Boundary of sec. 36. T. 12 N. R. 3 W. r. 620 E. 11 30
- 10.00 To a Brook 12 links mid, corner N. E.
- 40.00 Set a 14 support from which,  
Poplar, 18 in dia. beam. S 73 E. 5 links dist. 8 w  
W Oak 30 " " " N 80 W. 34 " " "
- 58.00 To a Brook 10 links mid, corner E.
- 70.00 " " 10 8 " " " W.

## T. N. 12 N. R. N. 3 W 2nd Mer. Ind.

- 79.80 To a Brook 8 links mid, corner E.
- 80.00 Set a post for the ca of sec. 25 & 36 from which,  
Bech. 24 in dia. beam. N 11 E. 31 links dist. 8 w  
Lp. 27 " " " N 13 W. 54 " " "
- Second link of 2nd rate, Timber Bech, Oak, Sugar,  
Ash, &c. Good land for farming.

North On the East Boundary of sec. 25. T. 12 N. R. 3 W.

- 40.00 Set a 14 support from which,  
Heiter 15 in dia. beam. N 79 E. 18 links dist. 8 w  
W Oak, 36 " " " S 67 W. 25 " " "
- 71.00 To a Brook 10 links mid, corner W.
- 80.00 Set a post for the ca of sec. 24 & 25 from which,  
W Oak, 27 in dia. beam. N 34 W. 35 links dist. 8 w  
Bech. 9 " " " S 5 E. 11 " " "
- Second same

North On the East Boundary of sec. 24. T. 12 N. R. 3 W.

- 36.50 To a Brook 10 links mid, corner W.
- 40.00 Set a 14 support from which,  
Bech. 9 in dia. beam. S 3 E. 9 links dist. 8 w  
Lp. 14 " " " N 29 W. 11 " " "
- 80.00 Set a post for the ca of sec. 13 & 24 from which,  
Bech. 18 in dia. beam. N 43 E. 8 links dist. 8 w  
Lp. 18 " " " S 76 W. 18 " " "
- Second link Timber Bech, Oak, Elm, Part,  
rather wet.

North On the East Boundary of sec. 13. T. 12 N. R. 3 W.

- 40.00 Set a 14 support from which,  
Cherry 18 in dia. beam. South 11 links dist. 8 w  
Bech. 24 " " " N 37 W. 34 " " "
- 80.00 Set a post for the ca of sec. 12 & 13 from which,







T. N. 12 N. R. No. 3 W. 2nd Mer. Ind.

West On the same line On the South B. of cu. 31.  
T. 13. N. R. 3 W.  
40,00 Set a temp. post on the same line from which  
57.25 Inters. at the same line. 47 miles South of the  
cu. of cu. 12 N. 13. N. R. 3 W.  
Sands very rich and good for farming. Some  
some wheat out.

East On the same line On the South B. of cu. 31. #66  
T. 13. N. R. 3 W.  
17.25 Set a temp. post on the same line from which  
Beck 30 in dist. line. N 29 W 9 miles east, Ga.  
Height 8 " " " S 47 N. 25 " "  
57.25 Set the temp. post on the same line further cu. of cu.  
31 130 from which  
Sugar 18 in dist. line. S 50 E. 20 miles east, Ga.  
Lo. 24 " " " N 47 N. 23 " "

East On the same line On the South B. of cu. 32  
T. 13. N. R. 3 W.  
40,00 Set the temp. post on the same line from which  
Beck 11 in dist. line. S 16 N. 21 miles east, Ga.  
Lo. 30 " " " N 36 E. 17 " "  
80,00 Set a post temp. on the same line further cu. of cu.  
32 133 from which  
Beck 12 in dist. line. S 40 N 9 miles east, Ga.  
Lo. 30 " " " N 69 E. 21 " "

East On the same line On the South B. of cu. 33  
T. 13. N. R. 3 W.  
40,00 Set the temp. post on the same line from which  
Beck 18 in dist. line. S 83 N. 25 miles east, Ga.  
Height 9 " " " N 47 E. 20 " "

T. N. 12 N. R. No. 3 W. 2nd Mer. Ind. 19

80,00 Set the temp. post on the same line further cu. of cu.  
33 134 from which  
Sugar 24 in dist. line. N 32 E. 28 miles east, Ga.  
Beck 18 " " " S 8 E. 50 " "

East On the same line On the South B. of cu. 34  
T. 13. N. R. 3 W.  
40,00 Set the temp. post on the same line from which  
Beck 12 in dist. line. N 39 E. 7 miles east, Ga.  
Lo. 14 " " " N 59 N. 14 " "  
80,00 Set the temp. post on the same line further cu. of cu.  
34 135 from which  
Beck 18 in dist. line. East 10 miles east, Ga.  
N. Oak 30 " " " S 37 N. 21 " "

East On the same line On the South B. of cu. 35  
T. 13. N. R. 3 W.  
40,00 Set the temp. post on the same line from which  
Sugar 9 in dist. line. N 4 W 25 miles east, Ga.  
Beck 9 " " " S 6 N. 23 " "  
80,00 Set the temp. post on the same line further cu. of cu.  
35 136 from which  
Beck 12 in dist. line. S 10 E. 18 miles east,

East On the same line On the South B. of cu. 36  
T. 13. N. R. 3 W.  
40,00 Set the temp. post on the same line from which  
Beck 9 in dist. line. N 35 N. 12 miles east, Ga.  
Lo. 10 " " " S 43 E. 13 " "  
80,00 Set a post for the cu. of T. 12 + 13 N. R. 2 W.  
228 miles South of the Random from which  
Sugar 14 in dist. line. N 16 N. 18 miles east, Ga.  
Beck 18 " " " S 8 E. 22 " "



T. N. 12 N. R. N. 3 W. 2<sup>nd</sup> Mer. Ind.

## West Boundary

\* North Cuth East B. of sec. 36. T. 12 N. R. 4 W. v. 12<sup>th</sup> E  
28.50 Lot 10 River 200 yds. m. Lorne W  
35.70 Set 1/2 a. apart from wharf

Sugar. 12 in dist. beam. N 52 E 10 lbs. dist. 30  
Beck 10 " " S 42 E 5 " "  
75.70 Set apart for the cargo out 25 B. 6 from wharf  
Sugar. 9 in dist. beam. N 37 E 19 lbs. dist. 30  
Beck 8 " " S 47 N 13 " "

Sugar land and part rather wet, soil 2<sup>nd</sup> rate  
Timber mostly Beck, some Hick, Poplar & Gum  
Surveyed by W. Harris.

\* North Cuth East B. of sec. 36. T. 12 N. R. 4 W.  
4.30 Set apart for the N. B. of Harrison's Purchase & Lorne  
part from wharf  
Maple. 16 in dist. beam. S 11 N. 27 lbs. dist. 30  
Beck. 14 " " S 15 E 43 " "

Land by James, Neelme, D. S.  
This should have been in section when the plan indicated

North Cuth East B. of sec. 25. T. 12 N. R. 3 W.  
40.00 Set apart from wharf  
Hick 18 in dist. beam. S 34 N. 18 lbs. dist. 30  
Beck 10 " " N 47 E 28 " "  
67.00 Lot 10 River 100 yds. m. Lorne W.  
80.00 Set apart for the cargo out 24 B. 25 from wharf  
Hick 10 in dist. beam. N 60 E 1 lbs. dist. 30  
Beck 9 " " S 60 W 29 " "  
Land similar & middle of good for farming

North Cuth East B. of sec. 24. T. 12 N. R. 4 W.  
40.00 Set apart from wharf  
Oak 36 in dist. beam. S 14 E 3 lbs. dist. 30

T. N. 12 N. R. N. 3 W. 2<sup>nd</sup> Mer. Ind.

Beck 5 in dist. beam. S 66 N. 10 lbs. dist. 30  
80.00 Set apart for the cargo out 13 B. 24 from wharf  
Beck 12 in dist. beam. S 43 E 7 lbs. dist. 30  
Poplar. 30 " " N 45 W 17 " "  
Land but end good for farming. Timber Pop-  
lar Oak, Beck Sugar & Gum

North Cuth East B. of sec. 13. T. 12 N. R. 4 W.  
40.00 Set apart from wharf  
Beck 8 in dist. beam. N 25 N. 11 lbs. dist. 30  
Oak. 18 " " S 23 E 25 " "  
80.00 Set apart for the cargo out 12 B. 13 from wharf  
Oak. 8 in dist. beam. S 33 N. 28 lbs. dist. 30  
Beck 24 " " North 42 E 22 " "  
Land very wet and good for farming  
Timber Beck Sugar, Poplar & Walnut

North Cuth East B. of sec. 12. T. 12 N. R. 4 W.  
34.00 Lot 10 River 8 m. m. Lorne W.  
30.00 " " " " " " " "  
40.00 Set apart from wharf  
Poplar. 24 in dist. beam. North 21 lbs. dist. 30  
Oak 36 " " S 51 N. 10 " "  
80.00 Set apart for the cargo out 18 B. 13 from wharf  
Sugar 14 in dist. beam. S 57 E 15 lbs. dist. 30  
Oak 40 " " S 5 N. 20 " "  
Land & Timber same.

North Cuth East B. of sec. 1. T. 12 N. R. 4 W.  
20.00 Lot 10 River 25 m. m. L. W.  
20.00 Set apart from wharf  
Beck 18 in dist. beam. N 72 E 19 lbs. dist. 30  
Oak. 7 " " S 30 N 39 " "











T. N. 12. N. R. N. 37 2<sup>nd</sup> Mer. Ind.

East OnaKamam line between Sec 18 19 T. 12 N. R. 37 N.  
40.00 Set a temporary 7<sup>th</sup> sec post

42.25 To a Spring, Boarded corner NW.

80.23 Intersect the East Boundary 101 miles North of  
the first cor of sec. 18 19

Land 1<sup>st</sup> 7<sup>th</sup> mile broken; 2<sup>nd</sup> 7<sup>th</sup> land 2<sup>nd</sup> rate  
Timber Oak, Birch, Sugar, Ash, Hickory, Wg  
Spruce & Oak, Shrubs

West OnaKamam line between Sec 18 19 T. 12 N. R. 37 N.

40.11<sup>1</sup> Set the temporary 7<sup>th</sup> sec post, at the ar. dist in the true line  
from which, Dogwood 5 in dia. trees 86 N. 11 W. 11 miles  
and a Sugar 20 " " " 86 E. 21 " "

80.23 To the first cor of sec. 1, 2, 11, & 12.

North Between Sec 18 19 T. 11 N. R. 37 N.

10.46 To a W Oak, 30 in dia. in the line.

18.51 " " Branch of Oak River 33 miles north, Co. N.E.

27.00 " " " " " " " " " " " "

33.50 To a temporary 7<sup>th</sup> sec post 73 in dia. in the line.

40.00 Set a 7<sup>th</sup> sec post from which,  
Birch 13 in dia. trees. N 24 W. 33 miles east, 8<sup>th</sup> sec  
E line 15 " " " 85 E. 37 " "

42.65 To a Birch, 20 in dia. in the line.

71.50 To a W corner 25 miles north, corner NW.

77.50 Intersect the N. Boundary 37 miles West of the first  
cor of sec. 35 & 36. T. 13 N. R. 37 N. and set a post

" " " " 102 from which,  
Sugar 10 in dia. trees. N 69 E. 46 miles east, 8<sup>th</sup> sec  
Birch 30 " " " 86 W. 68 " "

Land line ends from 1<sup>st</sup> branch bottom land  
2<sup>nd</sup> rate Timber Birch, Sugar, Oak, Oak,  
Elm, Spruce, Wg Spruce

10th Nov. 1889.

T. N. 12 N. R. N. 37 2<sup>nd</sup> Mer. Ind.

North Between Sec 34 & 35. T. 12 N. R. 37 N.

2.02 To a Birch 13 in dia. in the line.

28.25 " " Birch 10 miles north, corner NW.

35.30 " " " " " " " " " "

39.65 To a Birch, 18 in dia. in the line.

40.00 Set a 7<sup>th</sup> sec post from which,  
Birch 20 in dia. trees. S 57 W. 24 miles east, 8<sup>th</sup> sec  
Dogwood 4 " " " " " " " " " "

42.48 To a Birch, 10 in dia. in the line.

73.72 " " " " " " " " " "

80.11<sup>1</sup> Set a post for the cor of sec. 26, 27, 34 & 35 from which,  
Birch 20 in dia. trees. N 57 W. 7 miles east, 8<sup>th</sup> sec  
" " " " " " " " " "

Land line 8<sup>th</sup> 2<sup>nd</sup> rate; Timber Birch, Ash, Poplar,  
Sugar, & Oak, Wg Dogwood & Spruce

East OnaKamam line between Sec 26 & 35. T. 12 N. R. 37 N.

2.65 To a Spring corner NW.

40.00 Set a temporary 7<sup>th</sup> sec post.

78.64 Intersect the East Boundary or N 15 line 127 miles  
North of the first cor of sec. 25, 26, 35 & 36.

Land line 8<sup>th</sup> 2<sup>nd</sup> rate; Timber Birch, Sugar,  
Ash, Poplar, Oak, & Hickory

West OnaKamam line between Sec 26 & 35. T. 12 N. R. 37 N.

39.32 Set the temporary 7<sup>th</sup> sec post on the true line from which,  
Birch 20 in dia. trees. N 88 W. 23 miles east, 8<sup>th</sup> sec  
Poplar, 36 " " " 89 E. 35 " "

78.64 To the first cor of sec. 26, 27, 34 & 35.

North Between Sec 26 & 35. T. 12 N. R. 37 N.

17.65 To a Birch, 8 in dia. in the line

34.17 " " " " " " " " " "



## T. N. 13. N. R. No. 3 W. 2nd. Min. Ind.

- 4.00 Set a 7/8 cup post from which  
Beck 14 in dist. from S 77 E 29 units east; 8 =  
No. 22 " " S 80 W 12 " "
- 44.77 To a Beck 10 units mid, corner W.
- 49.85 " " Beck 25 " " S.W.
- 51.85 " " Sycamore 13 in dist. in the river.
- 55.50 " " Beck 25 units mid, corner S.W.
- 76.34 " " Beck 15 in dist. in the river.
- 80.00 Set a post for the corner 22, 23, 26 & 27 from which  
Beck 23 in dist. from S 42 E. 15 units east; 8 =  
No. 14 " " S 45 W 12 " "
- Land and under 2nd rate; Timber Beck, Sugar,  
Ash, Poplar, Oak, & Sycamore; N.Y. Spruce &  
Dogwood Shrubs

East On a random line between Sec. 23 & 26. T. 12. N. R. 3 W.

40.00 Set a temporary 7/8 cup post.

78.45 Intersect the N 45 line 133 units North of the post  
on of sec. 23, 24, 25 & 26  
Land and 2nd rate; Timber Beck, B. W. Oak,  
P. Oak, S. Gum, Ash, & Hickory N.Y. Oak, Beck, Iron-  
wood and Spruce.

West On the same line between Sec. 23 & 26. T. 12. N. R. 3 W.

39.37 Set the temporary 7/8 cup post at the corner in the river  
from which Beck 15 in dist. from S 9 E. 6 units east

and a No. 18 " " S 67 W 9 " "

78.75 To the corner 22, 23, 26 & 27

Nov. 11. 1819.

North Between Sec. 22 & 23. T. 12. N. R. 3 W.

5.60 To a Beck 13 in dist. in the river

39.28 " " 18 " " " "

## T. N. 13. N. R. No. 3 W. 2nd. Min. Ind.

- 41.00 Set a 7/8 cup post from which  
Beck 30 in dist. from S 57 E. 10 units east; 8 =  
No. 18 " " S 45 W 31 " "
- 55.60 To a spring branch, corner S.W.
- 60.75 To a Beck 20 in dist. in the river.
- 73.62 " " Hickory 18 " " " "
- 80.00 Set a post for the corner 14, 15, 22 & 23 from which  
Beck 12 in dist. from S 75 W. 27 units east; 8 =  
No. 15 " " S 63 E. 13 " "
- Land and under 2nd rate; Timber Beck, Sugar,  
Ash, Poplar, Hickory Oak, & Elm. N.Y. Spruce &  
Beck, Iron.

East On a random line between Sec. 14 & 23. T. 12. N. R. 3 W.

40.00 Set a temporary 7/8 cup post.

76.90 To a Beck 10 units mid, corner S.W.

78.54 Intersect the N 45 line 23 units North of the post  
on of sec. 14, 15, 22 & 23.

Land and 2nd rate; 2nd rate good & 2nd rate; both  
land; Timber Beck, Sugar, Ash, Poplar, Oak &  
Black Walnut, N.Y. Spruce.

West On the same line between Sec. 14 & 23. T. 12. N. R. 3 W.

39.27 Set the temporary 7/8 cup post at the corner in the river  
from which Hickory 10 in dist. from S 46 E. 16 units east

under a No. 36 " " S 15 E. 15 " "

78.54 To the post on of sec. 14, 15, 22 & 23.

North Between Sec. 14 & 15. T. 12. N. R. 3 W.

8.14 To a Beck 13 in dist. in the river.

36.91 No. 20 " " " "

40.00 Set a 7/8 cup post from which  
Beck 24 in dist. from S 87 E. 45 units east; 8 =







I. N<sup>o</sup> 12. N. R. N<sup>o</sup> 37 D<sup>na</sup> M<sup>n</sup>.

Buck 13 in dist. from S by E. 5 miles dist. of a  
 N. by E. 15 " " " N. 65 W. 39 " "  
 4630 To Buck 15 in dist. in the line.  
 72, 78 " " Loc. 18 " " " " "  
 77, 95. Intercept the N. by E. 53 miles East of the post  
 cor. of sec. 34 & 35. T. 13. N. R. 3 W. and set a  
 post for the cor. of sec. 2, T. 13. from which  
 Buck 14 in dist. from S by W 18 miles dist. of a  
 Loc. 10 " " " S 47 E. 24 " "  
 Second set of mile land & rich; 2<sup>nd</sup> set broken & 2<sup>nd</sup>  
 rate timber Buck, Sugar, Walnut, Ash & Oak.  
 W. of Pine & Shrub. Nov. 12. 1819.

North Return Dec. 33 1834 T. D. N. R. 377.  
6.50 To a Red Oak 36 in dia<sup>t</sup> in the vine,  
35.74 To a Buck 10 " " " " "  
40.00 Set a 1/4 supat from which,  
Buck 14 in dia<sup>t</sup> here. N 46 E. 29 miles out; Ba  
10.20 " " " " " " " " " " "  
45.25 To a Buck 12 in dia<sup>t</sup> in the vine.  
70.02 " " Buck 16 links mid, Copres N.W.  
76.06 " " W Oak. 22 in dia<sup>t</sup> in the vine  
80.00 Set a post for the ea of sw 27 28, 33 & 34 from which  
Sugar. 16 in dia<sup>t</sup> here. S 55 W 4 miles out; Ba  
Buck 18 " " " " " " " " " " "  
Saw broken V. gra nat; Timber Buck, Hickory  
W & Red Oak. W 9 Buck, 8 Dogwood shrubs.

East  
4000  
80.07

Quadrangle line between Sec. 27, T34, R3W  
Get a temp. 79, supat.  
Intersect the NBS line 10 miles South of the post on  
Juls. 26, 27, 34, 35.  
Lands rolling and low rate; Little Bush, Ark

*J. N. 12. N. R. N. 37 2nd Mn. Ind. 33*

W Oak. Ge. Mg Bush, Shrub

West On the line between Cal. 27, 1834 & 12 N 37.  
40.032 Set the trip. 7 yr. report at the ar. dist on the line  
from which, 9 Bur 18 in dist. from, 307 E 8 W dist  
as to a Do. 10, , , 158 W 17, ,  
80.07 Set the post on of sw 27, 28, 33 & 34.

North Putnam Sec. 27 828 T. 12 N. R. 3 W.  
 13.40 To a W Oak 36 in dia. in the vine.  
 34.50 " " Bech, 24 " " " " "  
 40.00 Set apart from which  
 W Oak 36 in dia. bears 867 E. 27 in dia. oak; 80  
 Bech, 20 " " " N 65 W. 23 " "  
 53.50 To a Brook 50 in dia. runs, Corner N. W.  
 56.26 " " Bech. 20 in dia. in the vine.  
 76.43 " " Do. 15 " " " " "  
 80.00 Set apart for the crop of 21, 22, 27 828 from which  
 a Bech. 12 in dia. bears North 20 in dia. oak; 80  
 20 14 " " " N 27 E. 19 " "  
 Lando Hilby and 3rd rate; Timber Bech, Sugar,  
 W Oak, & Hickory N of Dogwood & Bech, Shrub

East Onak Random line between St. 22 & 27 712 MR 3N  
40.00 Set up support temp.  
72.25 To at Brook 12 miles wide, Corner S.E.  
79.32 Into cut the East Boundary 83 miles South of the  
put. cr of st. 22, 23, 26 & 27  
Sand hill and 2nd rate; Timber Bush, Weat,  
Hick; my Spruce Bush, W Oak, & Hickory shrubs

Met On the Toms line between Ss. 22 & 27 T. 12. N. R. 3 W.  
39.66. Set the traps 1/4 S. of post at the ar. crest on the tom line



*T. N. 12. N.R. N. 37 2<sup>nd</sup> Mm. Ind.*

from which 77 Oak 36 in diam. have 14871 44 links dist.  
and a Beech, 14 " " " 1518.39 " "  
79.32 To the post on of sw 21.22.27 & 28.

North Bottom Sec. 21 & 22. T. 12. N.R. 37  
33.50 To a Brook 2 links wide, corner S.W.  
34.63 " " Beech, 14 in diam. in the river.  
40.00 Set a post from which  
Beech, 24 in diam. have 15577.23 links east, & a  
Oak 17 " " " 122 E 46 " "  
46.00 To a Beech, 24 in diam. in the river.  
65.00 To Eel River 75 links wide corner S.W.  
78.11 " " Beech 22 in diam. in the river.  
78.50 Entered Eel River.  
80.00 Set a post for the cu of sw 15.16.21 & 22 from which  
Sycamore 30 in diam. have 15977.76 links east, & a  
Willow 12 " " " 158 E 104 " "  
Sand set p mile Broken 2<sup>nd</sup> rate, 2<sup>nd</sup> p mile  
2<sup>nd</sup> rate land. Timber Beech, Sugar, & Hickory  
fr. NY Spruce, Ash, Shrub

East On a Random line between Sec. 15 & 22 T. 12. N.R. 37  
17.23 To a Brook. 2 links wide, corner N.W.  
40.00 Set a temporary support  
78.76 Intercept the N.E. line 119 links South of the post on  
of sw. 14.15.22 & 23.

West On the true line between Sec. 15 & 22. T. 12. N.R. 37  
39.38 Set the temporary support at the corner on the true line from  
which 16 in diam. have 16 E. 21 links east, & a  
Beech, 19 " " " 120 N 17 " "  
78.76 To the cu of sw 15.16.21 & 22. Nov. 13. 1819

*T. N. 12. N.R. N. 37 2<sup>nd</sup> Mm. Ind.*

~~West On the true line between Sec. 15 & 22. T. 12. N.R. 37  
39.38 Set the temporary support at the corner on the true line from  
which 16 in diam. have 16 E. 21 links east, & a  
Beech, 19 in diam. have 120 N 17 the dist.  
78.76 To the post on of sw 15.16.21 & 22  
Nov. 13. 1819~~

North Bottom Sec. 15 & 16. T. 12. N.R. 37. cor post  
in Eel River.  
5.00 Up the River from left the same on the left side.  
25.00 To Eel River 70 links wide, corner E.  
27.75 " " Hickory 30 in diam. in the river.  
31.30 " " Eel River 70 links wide, corner S.W.  
40.00 Set a post from which  
Oak 27 in diam. have 13577.23 links east, & a  
Beech, 16 " " " 119 N 22 " "  
47.63 To a Beech, 14 in diam. in the river.  
59.75 " " Brook 25 links wide, corner N.E.  
70.80 To a Oak 30 in diam. in the river.  
80.00 Set a post for the cu of sw 7.10.15 & 16 from which  
Beech 24 in diam. have 153 E 27 links east, & a  
Sugar 10 " " " 171 N 8 " "  
Sand set p link 2<sup>nd</sup> rate Timber Beech, Sugar,  
Oak, Ash, fr. NY Spruce, Beech, Shrub

East On a Random line between Sec. 10 & 15 T. 12. N.R. 37  
34.00 Entered bottom  
38.71 To Eel River 129 links wide, corner S.  
40.00 Set a temporary support.  
50.00 Entered upland Nov. 14. 1819  
78.74 Intercept the E.W. line 140 links South of the post  
on of sw 10.11.14 & 15  
Land a link, all except bottom 2<sup>nd</sup> rate; bottom 1<sup>st</sup> rate.



T. N. 12. N. R. N. 3 W 2<sup>nd</sup> M. Ind.

Timber Buck, Sugar, Ash, Oak & Elm. by canoe

Met On the line between Sec. 10 & 15 T. 12 N. R. 3 W  
39.37 Set the temporary support at the creek on the line  
from which, Hickory 7 in dia. here 29 W. 5 the dist  
and a Do. 5 , , N 42 E. 23 , ,  
78.74 To the post on of sec 9. 10. 15 & 16.

North Between Sec. 9 & 10 T. 12 N. R. 3 W  
4.20 To a Buck 18 in dia. in the line.  
36.40 " Poplar 08 " , , ,  
40.00 Set a support from which,  
Oak. 24 in dia. here N 70 E. 15 links dist; 8 a  
Dogwood 6 , , , S 66 W. 19 , ,  
48.32 To a Oak. 20 in dia. Here in the line.  
76.25 " Buck. 9 , , , ,  
80.00 Set apart for the cor of sec 3. 4. 9. 8 & 10 from which,  
Buck 11 in dia. here N 72 W 9 1/2 links dist; 8 a  
Do. 8 , , , S 82 1/2 E 38 , ,  
Sands broken & 3<sup>rd</sup> rate; Timber Oak, Buck,  
Poplar, Sugar, N. Buck, Immort., & other shrubs

East On a Remains line between Sec. 3 & 10 T. 12 N. R. 3 W  
40.00 Set a temporary support.  
63.34 To a Buck 25 links wide, corner N.E. & entered bottom  
70.00 To a Do. 25 , , , N.W.  
79.56 Entered the N.W. line 27 links south of the post  
on of sec. 2, 3, 10 & 11  
Sands pt 1/2 2<sup>nd</sup> rate, 2<sup>nd</sup> 1/2 2<sup>nd</sup> rate, Timber  
Oak, Buck, Ash, Hickory & Sugar. N. Buck, Im-  
mort., Ash & Spruce shrubs.

Met On the line between Sec. 3 & 10 T. 12 N. R. 3 W

T. N. 12. N. R. N. 3 W. 2<sup>nd</sup> M. Ind.

39.78 Set the temporary support at the creek on the line  
from which, Hickory 15 in dia. here S 77 E. 2 the dist  
and a Do. 16 , , , N 45 1/2 W 17 , ,  
79.56 To the post on of sec 3. 4. 9 & 10.

North Between Sec. 3 & 4 T. 12 N. R. 3 W  
6.87 To a Oak 42 in dia. in the line.  
34.88 To a Hickory 24 , , , ,  
40.00 Set a support from which,  
Oak 24 in dia. here South 10 links dist; 8 a  
Elm. 13 , , , N 29 W. 15 , ,  
41.49 To a Hickory 10 in dia. in the line  
75.93 " Red Oak. 24 , , , ,  
80.87 To a Spring Branch corner N.  
81.16 Entered the N Boundary 151 links East of the  
post on of sec. 33 & 34 T. 13 N. R. 3 W. and set a  
" " " " 34. from which  
N. Buck 8 in dia. here. N 26 1/2 W. 7 links dist; 8 a  
Hickory 6 , , , S 74 E. 26 , ,  
Sands a little broken & 2<sup>nd</sup> rate; Timber Buck,  
Oak, Hickory N. Spruce Immort., Dogwood  
& Buck, &c.

North Between Sec. 32 & 33 T. 12 N. R. 3 W  
7.73 To a Sugar. 11 in dia. in the line.  
11.25 To a Spring corner N.E.  
35.00 Entered Bottom  
33.31 To a Sycamore 10 in dia. in the line.  
38.75 To a Oak River. Thence up the River corner N.W.  
From the intersection  
40.00 Set a support from which a (in river)  
Buck 36 in dia. here East 56 links dist; 8 a  
Maple 10 , , , N 64 W. 125 , ,



T. N. 12. N. R. N. 372<sup>nd</sup> Mrs. Ind.

Nov. 15. 1819.

- 53.50 Came out of the River on the NW side.  
 60.59 To a Hickory 2 in diam. in the line.  
 77.55 To a Buck 15 " " " "  
 80.00 Set a post for the cor. of sec. 28, 29, 32 & 33 from which  
 a Buck 20 in diam. bears N 77 E. 25 links dist; & a  
 Hickory 11 " " " N 34 W. 5 " "  
 Land broken & 2<sup>nd</sup> rate; Timber Buck, Oak, &  
 Hickory, Sugar, &c. W. g. Buck, Shrub.

- East On a Random line between Sec. 28 & 33 T. 12. N. R. 37<sup>th</sup>  
 31.25 To Eel River 78 links wide, corner S. W.  
 40.00 Set a temp. post for the cor. of 1/4 Sec.  
 60.00 To Eel River 75 links wide, corner S. W.  
 70.00 " " " " " " " " " " " "  
 79.84 Intersect the N. & S. line 198 links South of the post cor.  
 of sec. 27, 28, 33 & 34  
 Land Broken & 2<sup>nd</sup> rate; Timber Buck, Oak,  
 W. g. Spruce, Buck, & Dogwood Shrub  
 N. B. On this between the 1<sup>st</sup> & last crossing  
 is a mill seat on Eel River

- West On the same line between Sec. 28 & 33 T. 12. N. R. 37<sup>th</sup>  
 39.92 Set the temp. post at the cor. of 1/4 Sec. at the aver. dist.  
 from which, Buck 8 in diam. bears N 20 E. 26 links dist.  
 and a " " " " " " " " " " " "  
 79.84 To the cor. of sec. 28, 29, 32 & 33.

- North Return Sec. 28 & 29 T. 12. N. R. 37<sup>th</sup>  
 6.56 To a Buck 10 in diam. in the line.  
 35.05 To a Hickory 22 " " " "  
 40.00 Set a 1/4 sec. post from which  
 Buck 18 in diam. bears S 9 E. 31 links dist; & a

T. N. 12. N. R. N. 372<sup>nd</sup> Mrs. Ind. 39

Buck 23 in diam. bears S 4 W. 15 links dist. and a

- 41.11 To a Sugar 26 in diam. in the line  
 71.10 To a Spring — links wide, course S. E.  
 79.50 To a Buck 17 in diam. in the line  
 80.00 Set a post for the cor. of sec. 20, 21, 28 & 29 from which a  
 Buck 12 in diam. bears S 13 E. 27 links dist. & a  
 Do. 6 " " " S. 32 E. 25 " "  
 Land broken and 2<sup>nd</sup> rate; Timber Buck, Oak, Sugar,  
 and Ash. Undergrowth Buck, Immortel, Dogwood & Birches

- East On a Random line between Sec. 21 & 28 T. 12. N. R. 37<sup>th</sup>  
 3.15 To a Buck 20 links wide; course S.  
 40.00 Set a temp. post for the cor. of 1/4 Sec.  
 54.75 To Eel River 125 links wide, course S.  
 80.54 Intersect the North & South line 170 links South of the post  
 cor. of Sec. 21, 22, 27 & 28.

- West On the same line between Sec. 21 & 28 T. 12. N. R. 37<sup>th</sup>  
 40.27 Set the temp. post for the cor. of 1/4 Sec. at the aver. dist.  
 on the true line from which a " " " " " " " " " " " "  
 Nov. 16<sup>th</sup> 1819.  
 Buck 19 in diam. bears S 46 W. 30 links dist. & a  
 Do. 10 " " " " " " " " " " " "  
 S. 87 E. 7 " "  
 50.54 To the post cor. of sec. 20, 21, 28 & 29.  
 Land Broken & 2<sup>nd</sup> rate; Timber, Oak, Buck, Ash  
 & Sugar. W. g. Buck, Dogwood, Immortel & Birches

- North Between Sec. 20 & 21 T. 12. N. R. 37<sup>th</sup>  
 2.10 To a Buck 15 links wide; course E.  
 8.83 To a W. Oak 25 in diam. in the line  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Buck 17 in diam. bears S 25 E. 23 1/2 links dist. and a  
 Do. 12 " " " " " " " " " " " "  
 S. 17 W. 16 " "  
 44.58 To a Buck 10 in diam. in the line



T. N. 12. N. 30. N. 3. W. 2nd Mer. Ind.

- 70 31 To a Hickory 14 in diam. in the line  
 80 00 Set a post for the cor. of Sec. 16, 17, 20 & 21 from which  
 a Buck - in diam. bears S. 5. W. 21 links dist. & a  
 Do. 18. " " " N 29. E. 34. " "  
 Land level & 2nd rate. Timber. Buck. Oak. Hickory  
 Sugar. and Ash. Undergrowth Buck. Grubs.

- East On a Random line between Sec. 16 & 21. T. 12. N. 3. W.  
 40 00 Set a temp. post for the cor. of 1/4 Sec.  
 67 00 Enter the River Bottom.  
 73 41 To Ed. River. Course S. W. line running up the river  
 80 51 Intersect the S. & W. line 88 links South of the post cor. of Sec.  
 15, 16, 21 & 22. Land 2nd rate.  
 Land in the first 1/4 mile level. On the 2nd 1/4 broken  
 Timber Buck. Sugar. Oak & Hickory. Undergrowth  
 Buck. Ash. & other grubs, very thick.

- West On the True line between Sec. 16 & 21. T. 12. N. 3. W.  
 110 30 1/2 Set a post for the cor. of 1/4 Sec. at the aver. dist. in the true  
 line from which a Buck 20 in diam. bears S. 16. E. 22 links dist. & a  
 Dogwood 5. " " " N 34. W. 31. " "  
 80 61 To the post cor. of Sec. 16, 17, 20 & 21.

- North Between Sec. 16 & 17. T. 13. N. 30. N. 3. W.  
 1 83 To a W. Oak 42 in diam. in the line  
 40 00 Set a post for the cor. of 1/4 Sec. from which a  
 Sugar 19 in diam. bears S. 31. W. 25 links dist. and a  
 Buck 10. " " " N 9. W. 16. " "  
 44 30 To a Buck 10 in diam. in the line  
 68 67 To a Do. 20 " " " " "  
 80 00 Set a post for the cor. of Sec. 8, 9, 16 & 17 from which a  
 Buck 14 in diam. bears S. 32. W. 27 links dist. and a  
 Do. 13. " " " N 4. W. 10. " "

T. N. 13. N. 30. N. 3. W. 2nd Mer. Ind.

Land level and 2nd rate. Timber Buck. W. & B. Oak  
 Hickory. Poplar & Ash. W. g. Buck. & Spice

- East On a Random line between Sec. 9 & 16. T. 12. N. 3. W.  
 40 00 Set a temp. post for the cor. of 1/4 Sec.  
 78 40 To a Buck 12 links wide; Course South  
 80 50 Intersect the S. & W. line 64 links South of the post cor. of  
 Sec. 9, 10, 15 & 16. Land level & 2nd rate. Timber  
 Buck. Oak. Ash. Poplar & Hickory. Undergrowth Buck  
 Ash. & some Spice shrubs very thick in some places.

- West On the True line between Sec. 9 & 16. T. 12. N. 3. W.  
 40 25 Set a post for the cor. of 1/4 Sec. at the aver. dist. in the true line  
 from which a Hickory 18 in diam. bears S. 2. E. 4 links dist. & a  
 Buck. 10. " " " S. 2. W. 10. " "  
 80 50 To the post cor. of Sec. 5, 9, 16 & 17.

- North Between Sec. 8 & 9. T. 12. N. 30. N. 3. W.  
 6 65 To a Gum 8 in diam. in the line  
 34 18 To a Buck 10 links wide. Course E.  
 40 00 Set a post for the cor. of 1/4 Sec. from which a  
 Hickory 15 in diam. bears S. 26. W. 31. links dist. & a  
 Do. 18. " " " S. 16. E. 34. " "  
 44 06 To a Hickory 11 in diam. in the line  
 75 15 To an Ash 3. " " " " "  
 80 00 Set a post for the cor. of Sec. 4, 5, 8 & 9 from which a  
 W. Oak 24 in diam. bears East 26 links dist. and a  
 " Do. 22. " " " S. 35. W. 22. " "  
 Land level & 2nd rate; Timber. Buck. W. Oak. B. Oak  
 and Hickory. Undergrowth. Saplings and Buck grubs.

- East On a Random line between Sec. 4 & 9. T. 12. N. 3. W.  
 5 00 To a Buck 8 links wide; Course South



T. N<sup>o</sup> 12. A. R. N<sup>o</sup> 3. N<sup>o</sup> 2nd Mer. Ind.

- 110.00 Set a temp<sup>o</sup> post for the cor. of  $\frac{1}{4}$  Sec.  
 119.40 To a Brook 10 links wide; Course S.  
 71.50 To a No. 9. " " " S.  
 80.20 Intersect the A. & I. line 18 links South of the post  
 cor. of Sec. 3, 4, 9, 110. Land level and 2nd rate  
 Timber, Buck, Oak & Hickory. W.g. Buck & Spice shrubs

- West On the True line between Sec. 22 & 29. T. 12. N. R. 3. W.  
 40.10 Set a post for the cor. of  $\frac{1}{4}$  Sec. at the westerly dist. on the true  
 line from which a  
 Buck 22 in diam. bears N 80 $\frac{1}{2}$  W. 13 links dist. & a  
 Sapras 15. " " " S. 11. E. 22. " "  
 80.20 To the post cor. of Sec. 4, 5, 8, & 9.

- North Between Sec. 4 & 5. T. 12. N. R. 3. W.  
 5.90 To a Hickory 10 in diam. in the line  
 28.51 To a No. 14. " " " " "  
 40.11 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Hickory 18 in diam. bears N 31. E. 15 links dist. and a  
 No. 13. " " " S. 62. W. 11. " "  
 40.85 To a Hickory 14 in diam. in the line  
 66.75 To a W. Oak 23. " " " " "  
 73.00 To a Brook 14 links wide; Course S. & E.  
 82.21 Intersect the North Boundary 152 links East of the  
 post cor. of Sec. 32 & 33. T. 13. N. R. 3. W. and set a  
 post for the cor. of Sec. 4 & 5. from which a  
 Buck 22 in diam. bears N 27 $\frac{1}{2}$  W. 35 links dist. & a  
 No. 25. " " " S. 56. E. 21. " "  
 Land on the 1<sup>st</sup>  $\frac{1}{4}$  level. On the 2<sup>nd</sup>  $\frac{1}{4}$  broken and 2<sup>nd</sup>  
 rate; Timber Hickory, Oak, & Buck. Undergrowth  
 Buck, Ash & Spice shrubs. Nov. 17<sup>th</sup> 1879.

North Between Sec. 31 & 32. T. 12. N. R. 3. W.

T. N<sup>o</sup> 12. A. R. N<sup>o</sup> 3. N<sup>o</sup> 2nd Mer. Ind.

- 00.50 To a Brook 14 links wide; Course S. & E.  
 16.57 To a W. Oak 21 in diam. in the line  
 26.50 To a Stone quarry which appears to be limestone.  
 30.00 To the Elk River 115 links wide; Course W. at which place  
 there is supposed to be a mile seat.  
 39.45 To a Buck 18 in diam. in the line  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Buck 15 in diam. bears S. 59. E. 13 links dist. & a  
 No. 18. " " " N. 15 $\frac{1}{2}$  W. 38. " "  
 48.22 To a Buck 18 in diam. in the line  
 59.25 To a Brook 7 links wide; Course S. & E.  
 75.60 To a Buck 18 in diam. in the line  
 80.00 Set a post for the cor. of Sec. 29, 30, 31, & 32, from which a  
 Buck 24 in diam. bears North 2 links dist. and a  
 No. 22. " " " N. 70 $\frac{1}{2}$  E. 27. " "  
 Land broken & 2nd rate, Timber, Buck, Oak, & Hickory.  
 W.g. Sugarwood, Juniper, Spice & Oak shrubs.

- East On a Random line between Sec. 29 & 32. T. 12. N. R. 3. W.  
 14.25 To a Brook 16 links wide; Course South.  
 38.56 To a No. 4. " " " S. W.  
 40.00 Set a temp<sup>o</sup> post for the cor. of  $\frac{1}{4}$  Sec.  
 50.00 Intersect the A. & I. line 182 links North of the post cor.  
 of Sec. 28, 29, 32, & 33.  
 Land level and 2nd rate. Timber, Buck, Hickory,  
 Oak & Ash. W.g. Buck, Oak & Spice shrubs.

- West On the True line between Sec. 29 & 32. T. 12. N. R. 3. W.  
 40.00 Set the post for the cor. of  $\frac{1}{4}$  Sec. on the true line from which a  
 Buck 142 in diam. bears S. 88. E. 29 links dist. & a  
 No. 20. " " " N. 52. W. 19. " "  
 80.00 To the post cor. of Sec. 29, 30, 31, & 32.



## T. N. 12. S. R. N. 3. W. 2nd Mer. Ind.

- West Between Sec. 30. & 31. T. 12. S. R. 3. W.  
 2. 90 To a Buck 20 in diam. in the line  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Hickory 24 in diam. bears N 36. E. 13. links dist. & a  
 No. 24 " " S. 7. E. 34. " "  
 42. 80 To a Sugar 10 in diam. in the line  
 59. 90 Intersect the West Boundary 180 links South of the post  
 cor. of Sec. 25. & 36. T. 12. S. R. 4. W. and set a post  
 for the cor. of Sec. 30 & 31. from which a  
 W. Oak 30 in diam. bears N 44. W. 9. links dist. & a  
 Buck 20. " " S. 68. E. 33. " "  
 Land level & 2nd rate. Timber, Hickory, Buck, Oak  
 & Sugar. Wg. Buck. & Spice Shrubs.
- 
- North Between Sec. 29. & 30. T. 12. S. R. N. 3. W.  
 6. 05 To a Buck 12 in diam. in the line  
 30. 35 To a Sugar 10. " " " "  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Buck 8 in diam. bears S. 20. E. 46. links dist. & a  
 No. 10 " " N 34. W. 11. " "  
 42. 84 To a Buck 16 in diam. in the line  
 69. 79 To a No. 15. " " " "  
 80.00 Set a post for the cor. of Sec. 19. 20. 24. & 30. from which  
 a Buck 30 in diam. bears S. 15. E. 39. links dist. & a  
 Sugar 8. " " N 14. E. 23. " "  
 Land level & 2nd rate. Timber, Buck, Hickory,  
 Sugar, Ash. & Oak. Wg. Spice Sh. Nov. 18<sup>th</sup> 1819.
- 
- East On a Random line between Sec. 20. & 24. T. 12. S. R. 3. W.  
 40.00 Set a temp. post for the cor. of  $\frac{1}{4}$  Sec.  
 79. 68 Intersect the N. & S. line 5 links North of the post cor.  
 of Sec. 20. 21. 28. & 24. Land broken & 2nd rate. Timber  
 Buck, Sugar, Oak, & Hickory. Ash. & Wg. Spice Sh.

## T. N. 12. S. R. N. 3. W. 2nd Mer. Ind.

- West On the True line between Sec. 20. & 24. T. 12. S. R. 3. W.  
 39. 84 Set the post for the cor. of  $\frac{1}{4}$  Sec. at the true dist. on the  
 True line from which a  
 Buck 24 in diam. N 45. E. 23. links dist. and an  
 Ash 10. " " bears West 18. links dist.  
 79. 68 To the post Cor. of Sec. 19. 20. 24. & 30.
- 
- West Between Sec. 19. & 20. T. 12. S. R. N. 3. W.  
 4. 58 To a Hickory 12 in diam. in the line  
 28. 42 To a No. 24. " " " "  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Buck 14 in diam. bears N 71. W. 16. links dist. and an  
 Elm 16. " " S. 15. W. 16. " "  
 59. 36 Intersect the West Boundary 147 links South of the  
 post cor. of Sec. 24. & 25. T. 12. S. R. 4. W. and set a  
 post for the cor. of Sec. 19. & 30. from which  
 Buck 10 in diam. bears N 18. E. 10. links dist. and a  
 Sugar 14. " " S. 32. W. 37. " "  
 Land level & 2nd rate. Timber, Buck, Sugar, Elm  
 Oak & Hickory
- 
- North Between Sec. 19. & 20. T. 12. S. R. N. 3. W.  
 2. 25 To a Buck 20 in diam. in the line  
 34. 44 To a Poplar 24. " " " "  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Sugar 10 in diam. bears N 7. E. 20. links dist. & a  
 Buck 6. " " S. 29. W. 9. " "  
 53. 07 To a Buck 16 in diam. in the line  
 79. 27 To a No. 24. " " " "  
 80.00 Set a post for the cor. of Sec. 17. 18. 19. & 20. from which  
 a Buck 18 in diam. bears N 51. W. 20. links dist. & a  
 No. 16. " " S. 37. E. 41. " "  
 Land level & 2nd rate. Timber, Buck, Sugar, Ash.



T. N. 12. S. R. N. 3. W. 2nd Mer. Ind.

Oak, Hickory, and Poplar. Undergrowth, some Spice

East On a Random line between Sec. 17 & 20. T. 12. S. R. N. 3. W.  
 22. 60 To a Buck 30 links wide; Course South.  
 40. 00 Set a post for the cor. of 1/4 Sec.  
 80 50 Intersect the East Boundary 132 links North of the  
 post cor. of Sec. 16. 17 20. & 21.  
 Land Broken & 2nd rate. Timber, Beech, Oak,  
 Hickory, and Poplar. W. g. Buck & Spice shrubs.

West On the True line between Sec. 17 & 20. T. 12. S. R. N. 3. W.  
 40 25 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the true  
 line from which a  
 Hickory 24 in diam. bears N 52. W. 33. links dist. &  
 No 18. " " S. 40. W. E. 23. " "  
 80 50 To the post cor. of Sec. 17. 18 19. & 20.

West Between Sec. 18 & 19. T. 12. S. R. N. 3. W.  
 1. 75 To a Buck 16 links wide; Course East.  
 17 50 To a Buck 14 in diam. in the line  
 10. 75 To a Buck 15 links wide; Course E. and running on the line  
 36 00 To a Red Oak 45 in diam. in the line  
 40 00 Made the corner a Buck 16 in diam. from which a  
 Buck 24 in diam. bears North 28 links dist. & an  
 Ash 22. " " S. 36. W. 17. " "  
 45. 48 To a Buck 18 in diam. in the line  
 59 29 Intersect the West Boundary 178 links South of the  
 post cor. of Sec. 13. & 24. T. 12. S. R. N. 4. W. and  
 set a post for the cor. of Sec. 18 & 19. from which an  
 Elm 24 in diam. bears S. 11. E. 23 links dist. and a  
 Poplar 8. " " S. 3. E. 18. " "  
 Land rolling & 2nd rate. Timber, Beech, Oak, &  
 Hickory, Ash, & Poplar. W. g. Buck, Logwood & Spice shrubs.

T. N. 12. S. R. N. 3. W. 2nd Mer. Ind.

North Between Sec. 17 & 18. T. 12. S. R. N. 3. W.  
 2. 00 To a Buck 22 links wide; Course East.  
 3. 97 To a White Oak 24 in diam. in the line  
 37. 30 To a Red Oak 48. " " " "  
 40 00 Set a post for the cor. of 1/4 Sec. from which a  
 Sugar 12 in diam. bears S. 11. W. 22 links dist. &  
 No 13. " " S. 7. E. 23. " "  
 41. 30 To a Buck 20 links wide; Course S. E.  
 53. 95 To a Gum 35 in diam. in the line  
 64. 20 To a Buck 16 links wide; Course S.  
 73. 10 To a No 14. " " S. 11. W.  
 77. 25 To a Hickory 28 in diam. in the line  
 80 00 Set a post for the cor. of Sec. 7. 8. 17. & 18. from which a  
 Buck 21 in diam. bears N 69. W. E. 23 links dist. &  
 No 19. " " S. 12. W. 26. " "  
 Land level & 2nd rate. Timber, Beech, Oak, Hickory,  
 Poplar, Gum, Ash, & Sugar. W. g. Spice, Ironwood, & Logwood.

East On a Random line between Sec. 8 & 17. T. 12. S. R. N. 3. W.  
 3. 80 To a Buck 13 links wide; Course S. W.  
 40 00 Set a temp. post for the cor. of 1/4 Sec.  
 80 84 Intersect the East Boundary 6 links North of the  
 post cor. of Sec. 8. 9. 16. & 17. Land level & 2nd rate.  
 Timber, Beech, Hickory, Ash, Oak, & Poplar.  
 Undergrowth, Buck, Ash, & Spice shrubs.

West On the True line between Sec. 8 & 17. T. 12. S. R. N. 3. W.  
 40. 42 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the true  
 line from which a  
 Ash 12 in diam. bears N 34. E. 19 links dist. and an  
 Oak 16. " " S. 62. W. 23. " "  
 80. 84 To the post cor. of Sec. 7. 8. 17. & 18.